



RAM
2500 / 3500





TABLE OF CONTENTS

System Tech	6-9
Suspension Tech	10-11
Shocks	12-15

Tire Size

COIL SPACER SYSTEMS

2.5" Basic (Drop Brackets)	35"	16
2.5" Radius Arm	35"	17
5" Basic (Drop Brackets)	37"	18
5" Radius Arm	37"	19

COIL SPRING SYSTEMS

5" Basic (Drop Brackets)	37"	20-21
5" Radius Arm	37"	22-23
5" 4 Link	37"	24-25
7" Radius Arm	38"	26-27
7" 4 Link	38"	28-29

DIRT LOGIC 4.0 COILOVER SYSTEMS

5" Radius Arm	37"	30
5" 4 Link	37"	31
7" Radius Arm	38"	32
7" 4 Link	38"	33

Accessories	34-35
--------------------	--------------

Fabtech's reputation for building the finest suspension systems is now backed by an unprecedented 5 year 60,000 mile FIVE SIXTY Powertrain Warranty.



- Powertrain Warranty for your lifted vehicle
- Easy online registration process
- Fabtech exclusive coverage for consumers
- Sign up for Free!
- Available for most late model vehicles
- Best suspension with the best warranty

2.5" **35"**
TIRES



5" **37"**
TIRES



7" **38"**
TIRES



SUSPENSION SYSTEM GUIDE




BASIC W/COIL SPACERS

Entry level utilizing the factory coil springs for a stock ride



BASIC W/COIL SPRINGS

Entry level with an improved ride compared to stock



RADIUS ARM W/COIL SPACERS

Heavy duty replacement Radius Arms for increased strength utilizing the factory coil springs for a stock ride




RADIUS ARM W/COIL SPRINGS

A very capable system that provides additional strength with a highly improved ride quality compared to stock both on and offroad



RADIUS ARM W/COILOVERS

Top level Radius Arm system with outstanding on and offroad damping capacity from Dirt Logic 4.0 Coilovers



4 LINK W/COIL SPRINGS

Converts suspension to a 4 Link style providing a smoother ride and increased articulation with excellent on and offroad performance



4 LINK W/COILOVERS

The pinnacle system that provides an incredible ride quality from the Dirt Logic 4.0 Coilovers both on and offroad. Exotic and the best of the best.



BASIC SYSTEMS

This entry level system has been designed to retain the factory springs of the vehicle for stock load carrying capacities and ride with minimal parts.

The factory Radius Arms are relocated with heavy duty 1/4" thick steel drop brackets for proper caster. Super stout Track Bar brackets recenters the axles under the vehicle with the new ride height. The 2.5" system comes with urethane front bump stops while the 5" System includes steel bump stop extensions

- Utilizes factory coil springs with steel spacers for stock load carrying capacity
- Radius Arm drop brackets provide proper caster
- 1/4" thick steel bracket construction throughout for added strength



RADIUS ARM SYSTEMS

Improving on the Ram's front suspension design Fabtech offers their trademark Radius Arms in a complete suspension system. These exclusive tubular Radius Arms have a recognizable dimple die side plates for superior strength and signature of quality. These rugged Arms provide proper caster for use with oversized tires and lifted suspension heights.

Fabtech's patent pending front angled coil spring mounts reposition the springs to allow for a straight vertical design vs. the factory bowed style. Fabtech's straight coil design vastly improves the ride quality of the vehicle with no loss of carrying capacity. A Fabtech exclusive.

- Fabtech's trademark Radius Arms for additional strength
- Front straight Coil Springs with Fabtech's patent pending angled mounts for smooth ride
- Dual stage rear coil springs for load capacity and smooth ride on 2500's
- Block and U bolt kit provides rear lift on 3500's



4 LINK SYSTEMS

At the top of the Fabtech line of Ram suspensions is the 4 Link Conversion system. This system provides the ultimate in front suspension articulation and ride quality for those that want the best.

This bolt on system replaces the factory radius arms with large 2" OD heavy wall links with Fabtech's 5 Ton Joints™ for superior strength. These straight links attach to heavy duty 1/4" thick steel frame brackets that allow for tire clearance and captures the transmission crossmember for a unitized system.

Fabtech's patent pending front angled coil spring mounts reposition the springs to allow for a straight vertical design vs. the factory bowed style. Fabtech's straight coil design vastly improves the ride quality of the vehicle with no loss of carrying capacity. A Fabtech exclusive.

- Large 2.0" OD heavy wall straight 4 Links w/ Fabtech's 5 Ton Joints™
- Bolt on 4 Link frame brackets with transmission crossmember adds strength
- Front straight Coil Springs with Fabtech's patent pending angled mounts for smooth ride
- Dual stage rear coil springs for increase damping and smooth ride on 2500's
- Block and U bolt kit provides rear lift on 3500's



Fabtech's exclusive 5 Ton Joints™ come from their proven medium duty truck applications for incredible strength and quiet operation.

- Proprietary 1" OD spherical bearing for ultimate strength
- Quiet ride bearing liner
- Lifetime warranty against wearing out

FRONT COIL SPRINGS

The factory front Ram coil spring has a noticeable bow to it with a very high spring rate for the weight rating of the vehicle. This creates a harsh ride with a nervous feel from the suspension.

To correct this, Fabtech uses a straight vertical coil design. In order to utilize a straight coil the lower spring seat mount is replaced with a patent pending angled spring mount. The new straight coil spring provides a supple ride without sacrificing any load carrying capacity. A Fabtech exclusive.

- Factory bowed coil spring travels in and out and up and down
- High spring rate
- Harsh ride

Factory spring mount

- Straight coil spring travels up and down
- Lower spring rate
- Smoother ride


Angled mount changes the front coil spring geometry from the factory bowed style to a straight design

STOCK

FABTECH

REAR COIL SPRINGS


Fabtech has found the perfect balance between the best ride and factory carrying capacity in the Ram rear coil springs. Utilizing a dual rate design the springs allow for a good highway ride in the first stage of compression and a second stage to handle heavy loads.



FRONT BUMP STOP

As the front axle of a Ram compresses, it travels in an arc with the Track Bar. When the axle impacts the bump stop there is a natural side load put on the stop.

Fabtech's exclusive steel extension and short urethane bump stop addresses this side load issue for proper compression stop control.





4.0's

The Dirt Logic 4.0 provides the ultimate in hardcore offroad damping capacity with superior highway comfort in a big package. This massive high end shock is designed for full size vehicles that require the biggest and best Coilover shock in a bolt on configuration. Nothing else comes close.



SPECS

- 4.0" OD Stainless Steel body
- 3-5/8" OD Billet Aluminum Piston
- 1-1/4" NitroSteel® Black Piston Rod
- Adjustable Coilover construction
- 3/4" Spherical Ball Mounting Ends
- 4.0" OD Remote Resi

2.25's

Dirt Logic 2.25's are designed to replace factory shocks with a larger, more robust configuration. The 2.25 size is what separates it from other replacement take apart shocks for a superior ride, both on and off road. Shocks are pretuned for each Fabtech suspension, accounting for larger tires, providing the finest all around damping.

SPECS

- 2.25" OD Stainless Steel Body
- 2" OD Billet Aluminum Piston
- 7/8" NitroSteel® Black Piston Rod
- Polyurethane Mounting Ends
- Optional 2.25" OD Aluminum Reservoir w/-6 Stainless Steel O-ring Hose

PERFORMANCE SHOCKS

Fabtech Performance Shocks have been designed to work in conjunction with each of our suspension systems, resulting in superior ride control. Features include high velocity 9-stage valving for excellent damping capabilities and a closed cell insert to reduce shock fade at high speeds.

SPECS

- Twin Tube Hydraulic Construction
- 9/16" Hardened Chrome Piston Rod
- 1-3/8" OD Piston
- Closed Cell Foam insert
- High Flow 9 Stage Valving





STEALTH[®] SHOCKS

Stealth is the first all black monotube shock absorber, with an identifiable raised metal nameplate, that represents the signature of quality you can rely on for a superior ride at an affordable price.

Stealth monotube shocks are built with a 46mm diameter high flow piston and vehicle specific valving, for a great ride with oversized tires. Each Stealth shock absorber has a free floating piston that separates the nitrogen gas charge from the oil to reduce shock fade in offroad conditions.

All Stealth shock absorbers feature Nitrocarburized piston rods that are superior to chromed rods in durability and corrosion resistance. These "Nitrocarb" piston rods are finished in matte black for a complete "black out" shock package.

SPECS

- Monotube construction
- 50mm OD DOM steel body
- 46mm High flow piston for best ride
- Vehicle specific valving designed for oversized tires
- Full floating piston separates gas from oil for a consistent ride
- 14mm Nitrocarb piston rod resists rock chips and corrosion
- All black finish with raised nameplate as a signature of quality

2.5" BASIC W/COIL SPACERS

FITS 35" TIRES

- Coil Spacers retain factory front coil springs.
- Replacement shocks allow for full travel with increased damping.
- Extended length bump stops eliminate coil bind and track bar interference.



Shown with Stealth Shocks - Ram 2500

2014-16 RAM 2500 4WD

2.5" BASIC SYSTEM W/ COIL SPACERS

Use 315/70R17 tires w/ 17x9 wheels w/ 4 5/8" BS w/ minor trimming
 Use 325/65R18 tires w/ 18x9 wheels w/ 4 5/8" BS w/ minor trimming
 Use 325/60R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 285/55R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3060 - w/ PERFORMANCE SHOCKS

- | | | |
|---|----------|---|
| 1 | FTS23043 | Component Box includes:
2 Front Performance Shocks |
| 2 | FTS7236 | Rear Performance Shock |

K3060M - w/ STEALTH SHOCKS

- | | | |
|---|----------|---|
| 1 | FTS23155 | Component Box includes:
2 Front Stealth Shocks |
| 2 | FTS6236 | Rear Stealth Shock |

K3061DL - w/ DIRT LOGIC SHOCKS

- | | | |
|---|-----------|--|
| 1 | FTS23158 | Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks |
| 2 | FTS811052 | Rear Dirt Logic 2.25 Non Resi Shock |

2013-16 RAM 3500 4WD

2.5" BASIC SYSTEM W/ COIL SPACERS

Use 315/70R17 tires w/ 17x9 wheels w/ 4 5/8" BS w/ minor trimming
 Use 325/65R18 tires w/ 18x9 wheels w/ 4 5/8" BS w/ minor trimming
 Use 325/60R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 285/55R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3056 - w/ PERFORMANCE SHOCKS

- | | | |
|---|----------|---|
| 1 | FTS23043 | Component Box includes:
2 Front Performance Shocks |
| 2 | FTS7299 | Rear Performance Shock |

K3056M - w/ STEALTH SHOCKS

- | | | |
|---|----------|---|
| 1 | FTS23155 | Component Box includes:
2 Front Stealth Shocks |
| 2 | FTS6019 | Rear Stealth Shock |

K3057DL - w/ DIRT LOGIC SHOCKS

- | | | |
|---|-----------|--|
| 1 | FTS23158 | Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks |
| 2 | FTS810352 | Rear Dirt Logic 2.25 Non Resi Shock |

2.5" SPACER SYSTEMS



2013 RAM 3500 4WD
2.5" Basic System 315/70R17 Tires 17x9 Wheels w/4 5/8" Back Spacing

2.5" RADIUS ARM W/COIL SPACERS

FITS 35" TIRES

- Fabtech's replacement Radius Arms
- Retains factory coil springs
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 Non Resi shocks



Shown with Performance Shocks - Ram 2500

2014-16 RAM 2500 4WD

2.5" RADIUS ARM SYSTEM W/ COIL SPACERS

Use 315/70R17 tires w/ 17x9 wheels w/ 4 5/8" BS w/ minor trimming
Use 325/65R18 tires w/ 18x9 wheels w/ 4 5/8" BS w/ minor trimming
Use 325/60R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 285/55R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3062 - w/ PERFORMANCE SHOCKS

- 1 FTS23051 Component Box includes:
2 Front Performance Shocks
- 2 FTS7236 Rear Performance Shock

K3062M - w/ STEALTH SHOCKS

- 1 FTS23156 Component Box includes:
2 Front Stealth Shocks
- 2 FTS6236 Rear Stealth Shock

K3063DL - w/ DIRT LOGIC SHOCKS

- 1 FTS23160 Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks
- 2 FTS811052 Rear Dirt Logic 2.25 Non Resi Shock

2013-16 RAM 3500 4WD

2.5" RADIUS ARM SYSTEM W/ COIL SPACERS

Use 315/70R17 tires w/ 17x9 wheels w/ 4 5/8" BS w/ minor trimming
Use 325/65R18 tires w/ 18x9 wheels w/ 4 5/8" BS w/ minor trimming
Use 325/60R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 285/55R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3064 - w/ PERFORMANCE SHOCKS

- 1 FTS23051 Component Box includes:
2 Front Performance Shocks
- 2 FTS7299 Rear Performance Shock

K3064M - w/ STEALTH SHOCKS

- 1 FTS23156 Component Box includes:
2 Front Stealth Shocks
- 2 FTS6019 Rear Stealth Shock

K3065DL - w/ DIRT LOGIC SHOCKS

- 1 FTS23160 Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks
- 2 FTS810352 Rear Dirt Logic 2.25 Non Resi Shock

5" BASIC W/COIL SPACERS

FITS 37" TIRES

- Radius Arm drop brackets provide increased caster
- Retains factory coil springs
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 Non Resi shocks



Shown with Stealth Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" BASIC SYSTEM W/ COIL SPACERS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3066 - w/ PERFORMANCE SHOCKS

- 1 FTS23053 Component Box includes:
 2 Front Performance Shocks
 2 Rear Performance Shocks

K3066M - w/ STEALTH SHOCKS

- 1 FTS23195 Component Box includes:
 2 Front Stealth Shocks
 2 Rear Stealth Shocks

K3067DL - w/ DIRT LOGIC SHOCKS

- 1 FTS23161 Component Box includes:
 2 Front Dirt Logic 2.25 Non Resi Shocks
 2 Rear Dirt Logic 2.25 Non Resi Shocks

2013-16 RAM 3500 4WD

5" BASIC SYSTEM W/ COIL SPACERS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3058 - w/ PERFORMANCE SHOCKS

- 1 FTS23047 Component Box includes:
 2 Front Performance Shocks
 2 Rear Performance Shocks

K3058M - w/ STEALTH SHOCKS

- 1 FTS23196 Component Box includes:
 2 Front Stealth Shocks
 2 Rear Stealth Shocks

K3059DL - w/ DIRT LOGIC SHOCKS

- 1 FTS23159 Component Box includes:
 2 Front Dirt Logic 2.25 Non Resi Shocks
 2 Rear Dirt Logic 2.25 Non Resi Shocks

5" SPACER SYSTEMS

5" RADIUS ARM W/COIL SPACERS

FITS 37" TIRES

- Fabtech's replacement Radius Arms
- Retains factory coil springs
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 Non Resi shocks



Shown with Dirt Logic 2.25 Non Resi Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" RADIUS ARM SYSTEM W/ COIL SPACERS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3068 - w/ PERFORMANCE SHOCKS

1 FTS23055 Component Box includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3068M - w/ STEALTH SHOCKS

1 FTS23197 Component Box includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3069DL - w/ DIRT LOGIC SHOCKS

1 FTS23162 Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

2013-16 RAM 3500 4WD

5" RADIUS ARM SYSTEM W/ COIL SPACERS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3070 - w/ PERFORMANCE SHOCKS

1 FTS23058 Component Box includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3070M - w/ STEALTH SHOCKS

1 FTS23198 Component Box includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3071DL - w/ DIRT LOGIC SHOCKS

1 FTS23163 Component Box includes:
2 Front Dirt Logic 2.25 Non Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

5" BASIC W/COIL SPRINGS

FITS 37" TIRES

- Radius Arm drop brackets provide increased caster
- Utilizes a straight front coil spring design for supple ride without loss of carrying capacity
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 shocks
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 utilizes rear blocks & u-bolts



Shown with Front Dual Resi Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" BASIC SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3139 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23076 Component Box 2 includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3139M - w/ STEALTH SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23077 Component Box 2 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3139DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23078 Component Box 2 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

5" BASIC SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3164 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23076 Component Box 2 includes:
2 Front Performance Shocks
2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
2 Front Performance Shocks

K3164M - w/ STEALTH SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23077 Component Box 2 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
2 Front Stealth Shocks

K3164DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23075 Component Box 1
- 1 FTS23078 Component Box 2 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
2 Front Dirt Logic 2.25 Resi Shocks

5" SPRING SYSTEMS



2013-16 RAM 3500 4WD

5" BASIC SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3143 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23092 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks

K3143M - w/ STEALTH SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23093 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks

K3143DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23094 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks

5" BASIC SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3145 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23092 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
 - 2 Front Performance Shocks

K3145M - w/ STEALTH SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23093 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
 - 2 Front Stealth Shocks

K3145DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23091 Component Box 1
- 1 FTS23094 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks

FOOTNOTE - 42. Will not fit gas motors.

5" RADIUS ARM W/COIL SPRINGS

FITS 37" TIRES

- Fabtech's replacement Radius Arms
- Utilizes a straight front coil spring design for supple ride without loss of carrying capacity
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 shocks
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic 2.25 Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" RADIUS ARM SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3140 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23080 Component Box 2 includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3140M - w/ STEALTH SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23081 Component Box 2 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3140DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23082 Component Box 2 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

5" RADIUS ARM SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3165 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23080 Component Box 2 includes:
2 Front Performance Shocks
2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
2 Front Performance Shocks

K3165M - w/ STEALTH SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23081 Component Box 2 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
2 Front Stealth Shocks

K3165DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23079 Component Box 1
- 1 FTS23082 Component Box 2 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
2 Front Dirt Logic 2.25 Resi Shocks

5" SPRING SYSTEMS



2013-16 RAM 3500 4WD

5" RADIUS ARM SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3144 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23095 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks

K3144M - w/ STEALTH SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23096 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks

K3144DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23097 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks

5" RADIUS ARM SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3146 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23095 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
 - 2 Front Performance Shocks

K3146M - w/ STEALTH SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23096 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
 - 2 Front Stealth Shocks

K3146DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23090 Component Box 1
- 1 FTS23097 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks

FOOTNOTE - 42. Will not fit gas motors.

5" 4 LINK W/COIL SPRINGS

FITS 37" TIRES

- Bolt on 4 Link System for enhanced ride and increased offroad articulation
- Heavy Duty offset frame brackets allow full turning with wide tires
- Utilizes a straight front coil spring design for supple ride without loss of carrying capacity
- 2" OD DOM straight tube links feature Fabtech heavy duty 5 Ton Joints™ for strength and longevity
- No modification to front driveshaft or transfer case required
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Stealth Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" 4 LINK SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3141 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23087 Component Box 3 includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3141M - w/ STEALTH SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23088 Component Box 3 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3141DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23089 Component Box 3 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

5" 4 LINK SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3166 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23087 Component Box 3 includes:
2 Front Performance Shocks
2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
2 Front Performance Shocks

K3166M - w/ STEALTH SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23088 Component Box 3 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
2 Front Stealth Shocks

K3166DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23086 Component Box 2
- 1 FTS23089 Component Box 3 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
2 Front Dirt Logic 2.25 Resi Shocks

5" SPRING SYSTEMS



2013-16 RAM 3500 4WD

5" 4 LINK SYSTEM W/ COIL SPRINGS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3089 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23101 Component Box 3 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks

K3089M - w/ STEALTH SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23102 Component Box 3 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks

K3089DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23103 Component Box 3 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks

5" 4 LINK SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3092 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23101 Component Box 3 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks
- 1 FTS23122 Front Dual Shock Kit includes:
 - 2 Front Performance Shocks

K3092M - w/ STEALTH SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23102 Component Box 3 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks
- 1 FTS23123 Front Dual Shock Kit includes:
 - 2 Front Stealth Shocks

K3092DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23085 Component Box 1
- 1 FTS23100 Component Box 2
- 1 FTS23103 Component Box 3 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23124 Front Dual Shock Kit includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks

FOOTNOTE - 42. Will not fit gas motors.

7" RADIUS ARM W/ COIL SPRINGS

FITS 38" TIRES

- Fabtech's replacement Radius Arms
- Utilizes a straight front coil spring design for supple ride without loss of carrying capacity
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- Available with Performance, Stealth or Dirt Logic 2.25 shocks
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Stealth Shocks - Ram 2500

2014-16 RAM 2500 4WD

7" RADIUS ARM SYSTEM W/ COIL SPRINGS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3156 - w/ PERFORMANCE SHOCKS (42)

- | | | |
|---|----------|----------------------------|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23106 | Component Box 3 includes: |
| | | 2 Front Performance Shocks |
| | | 2 Rear Performance Shocks |

K3156M - w/ STEALTH SHOCKS (42)

- | | | |
|---|----------|---------------------------|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23107 | Component Box 3 includes: |
| | | 2 Front Stealth Shocks |
| | | 2 Rear Stealth Shocks |

K3156DL - w/ DIRT LOGIC SHOCKS (42)

- | | | |
|---|----------|--|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23108 | Component Box 3 includes: |
| | | 2 Front Dirt Logic 2.25 Resi Shocks |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |

7" RADIUS ARM SYSTEM W/ COIL SPRINGS & DUAL FRONT SHOCKS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3157 - w/ PERFORMANCE SHOCKS (42)

- | | | |
|---|----------|--------------------------------|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23106 | Component Box 3 includes: |
| | | 2 Front Performance Shocks |
| | | 2 Rear Performance Shocks |
| 1 | FTS23126 | Front Dual Shock Kit includes: |
| | | 2 Front Performance Shocks |

K3157M - w/ STEALTH SHOCKS (42)

- | | | |
|---|----------|--------------------------------|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23107 | Component Box 3 includes: |
| | | 2 Front Stealth Shocks |
| | | 2 Rear Stealth Shocks |
| 1 | FTS23127 | Front Dual Shock Kit includes: |
| | | 2 Front Stealth Shocks |

K3157DL - w/ DIRT LOGIC SHOCKS (42)

- | | | |
|---|----------|--|
| 1 | FTS23104 | Component Box 1 |
| 1 | FTS23105 | Component Box 2 |
| 1 | FTS23108 | Component Box 3 includes: |
| | | 2 Front Dirt Logic 2.25 Resi Shocks |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 | FTS23128 | Front Dual Shock Kit includes: |
| | | 2 Front Dirt Logic 2.25 Resi Shocks |

7" SPRING SYSTEMS



2013-16 RAM 3500 4WD

7" RADIUS ARM SYSTEM W/ COIL SPRINGS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3147 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23168 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks

K3147M - w/ STEALTH SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23169 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks

K3147DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23170 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks

7" RADIUS ARM SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3148 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23168 Component Box 2 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks
- 1 FTS23126 Front Dual Shock Kit includes:
 - 2 Front Performance Shocks

K3148M - w/ STEALTH SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23169 Component Box 2 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks
- 1 FTS23127 Front Dual Shock Kit includes:
 - 2 Front Stealth Shocks

K3148DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23104 Component Box 1
- 1 FTS23170 Component Box 2 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23128 Front Dual Shock Kit includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks

FOOTNOTE - 42. Will not fit gas motors.

7" 4 LINK W/ COIL SPRINGS

FITS 38" TIRES

- Bolt on 4 Link System for enhanced ride and increased offroad articulation
- Heavy Duty offset frame brackets allow full turning with wide tires
- Utilizes a straight front coil spring design for supple ride without loss of carrying capacity
- 2" OD DOM straight tube links feature Fabtech heavy duty 5 Ton Joints™ for strength and longevity
- No modification to transfer case required
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic 2.25 Shocks - Ram 2500

2014-16 RAM 2500 4WD

7" 4 LINK SYSTEM W/ COIL SPRINGS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3158 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23111 Component Box 3 includes:
2 Front Performance Shocks
2 Rear Performance Shocks

K3158M - w/ STEALTH SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23112 Component Box 3 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks

K3158DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23113 Component Box 3 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks

7" 4 LINK SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3159 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23111 Component Box 3 includes:
2 Front Performance Shocks
2 Rear Performance Shocks
- 1 FTS23126 Front Dual Shock Kit includes:
2 Front Performance Shocks

K3159M - w/ STEALTH SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23112 Component Box 3 includes:
2 Front Stealth Shocks
2 Rear Stealth Shocks
- 1 FTS23127 Front Dual Shock Kit includes:
2 Front Stealth Shocks

K3159DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23110 Component Box 2
- 1 FTS23113 Component Box 3 includes:
2 Front Dirt Logic 2.25 Resi Shocks
2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23128 Front Dual Shock Kit includes:
2 Front Dirt Logic 2.25 Resi Shocks

7" SPRING SYSTEMS



2013-16 RAM 3500 4WD

7" 4 LINK SYSTEM W/ COIL SPRINGS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3149 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23173 Component Box 3 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks

K3149M - w/ STEALTH SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23174 Component Box 3 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks

K3149DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23175 Component Box 3 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks

7" 4 LINK SYSTEM W/ COIL SPRINGS & FRONT DUAL SHOCKS

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3150 - w/ PERFORMANCE SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23173 Component Box 3 includes:
 - 2 Front Performance Shocks
 - 2 Rear Performance Shocks
- 1 FTS23126 Front Dual Shock Kit includes:
 - 2 Front Performance Shocks

K3150M - w/ STEALTH SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23174 Component Box 3 includes:
 - 2 Front Stealth Shocks
 - 2 Rear Stealth Shocks
- 1 FTS23127 Front Dual Shock Kit includes:
 - 2 Front Stealth Shocks

K3150DL - w/ DIRT LOGIC SHOCKS (42)

- 1 FTS23109 Component Box 1
- 1 FTS23172 Component Box 2
- 1 FTS23175 Component Box 3 includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks
 - 2 Rear Dirt Logic 2.25 Non Resi Shocks
- 1 FTS23128 Front Dual Shock Kit includes:
 - 2 Front Dirt Logic 2.25 Resi Shocks

FOOTNOTE - 42. Will not fit gas motors.



2014 RAM 3500 4WD
5" Radius Arm System 37/12.50R20 Tires 20x10 Wheels w/5" Back Spacing

5" RADIUS ARM W/COILOVERS

FITS 37" TIRES

- Fabtech's replacement Radius Arms
- Front Dirt Logic 4.0 Coilovers w/ Resi
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" RADIUS ARM SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3072DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | |
|-------------|--|
| 1 FTS23114 | Component Box 1 includes: |
| | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 FTS23115 | Component Box 2 |
| 2 FTS835102 | Front Dirt Logic 4.0 Coilover w/Resi |

2013-16 RAM 3500 4WD

5" RADIUS ARM SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3077DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | |
|-------------|--|
| 1 FTS23184 | Component Box 1 includes: |
| | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 FTS23185 | Component Box 2 |
| 2 FTS835102 | Front Dirt Logic 4.0 Coilover w/Resi |

5" COILOVER SYSTEMS

5" 4 LINK W/COILOVERS

FITS 37" TIRES

- Bolt on 4 Link System for enhanced ride and increased offroad articulation
- Front Dirt Logic 4.0 Coilovers w/ Resi
- Heavy Duty offset frame brackets allow full turning with wide tires
- 2" OD DOM straight tube links feature Fabtech heavy duty 5 Ton Joints™ for strength and longevity
- No modification to front driveshaft or transfer case required
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic Shocks - Ram 2500

2014-16 RAM 2500 4WD

5" 4 LINK SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3073DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | | |
|---|-----------|--|
| 1 | FTS23114 | Component Box 1 includes: |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 | FTS23117 | Component Box 2 |
| 2 | FTS835102 | Front Dirt Logic 4.0 Coilover w/Resi |

2013-16 RAM 3500 4WD

5" 4 LINK SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 37x12.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 37x12.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 37x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3078DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | | |
|---|-----------|--|
| 1 | FTS23184 | Component Box 1 includes: |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 | FTS23187 | Component Box 2 |
| 2 | FTS835102 | Front Dirt Logic 4.0 Coilover w/Resi |

FOOTNOTE - 42. Will not fit gas motors.

50. Installation requires welding.



2014 RAM 2500 4WD
7" 4 Link System 38x13.50 Tires 20x10 Wheels w/5" Back Spacing

7" RADIUS ARM W/COILOVERS

FITS 38" TIRES

- Fabtech's replacement Radius Arms
- Front Dirt Logic 4.0 Coilovers w/ Resi
- Steel bump stop extensions
- 1/4" thick steel bracket construction throughout for added strength
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic Shocks - Ram 2500

2014-16 RAM 2500 4WD

7" RADIUS ARM SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3075DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | |
|-------------|---|
| 1 FTS23177 | Component Box 1 includes:
2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 FTS23178 | Component Box 2 |
| 2 FTS835122 | Front Dirt Logic 4.0 Coilover w/Resi |

2013-16 RAM 3500 4WD

7" RADIUS ARM SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3079DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | |
|-------------|---|
| 1 FTS23190 | Component Box 1 includes:
2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 FTS23189 | Component Box 2 |
| 2 FTS835122 | Front Dirt Logic 4.0 Coilover w/Resi |

7" COILOVER SYSTEMS



7" 4 LINK W/COILOVERS

FITS 38" TIRES

- Bolt on 4 Link System for enhanced ride and increased offroad articulation
- Front Dirt Logic 4.0 Coilovers w/ Resi
- Heavy Duty offset frame brackets allow full turning with wide tires
- 2" OD DOM straight tube links feature Fabtech heavy duty 5 Ton Joints™ for strength and longevity
- No modification to transfer case required
- 2500 Dual stage rear coils for smooth ride and factory carrying capacity
- 3500 rear blocks & u-bolts



Shown with Dirt Logic Shocks - Ram 2500

2014-16 RAM 2500 4WD

7" 4 LINK SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3076DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | | |
|---|-----------|--|
| 1 | FTS23177 | Component Box 1 includes: |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 | FTS23181 | Component Box 2 |
| 2 | FTS835122 | Front Dirt Logic 4.0 Coilover w/Resi |

2013-16 RAM 3500 4WD

7" 4 LINK SYSTEM W/ DIRT LOGIC 4.0 COILOVERS W/ RESI

Use 38x13.50/R17 tires w/ 17x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R18 tires w/ 18x9 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R20 tires w/ 20x10 wheels w/ 5" BS w/ minor trimming
 Use 38x13.50/R22 tires w/ 22x10 wheels w/ 5" BS w/ minor trimming

K3080DL - w/ REAR DIRT LOGIC SHOCKS (42)(50)

- | | | |
|---|-----------|--|
| 1 | FTS23190 | Component Box 1 includes: |
| | | 2 Rear Dirt Logic 2.25 Non Resi Shocks |
| 1 | FTS23191 | Component Box 2 |
| 2 | FTS835122 | Front Dirt Logic 4.0 Coilover w/Resi |

FOOTNOTE - 42. Will not fit gas motors.

50. Installation requires welding.

DUAL SHOCK SYSTEM

Obtain increased front suspension damping with our bolt on Dual Shock System. The system utilizes the stock shock position with an additional shock mounted forward of the coil spring. By mounting the auxiliary shock forward of the coil spring this allows for wide tire clearance when turning at full lock.



2014-16 RAM 2500 4WD
2013-16 RAM 3500 4WD

5" FRONT DUAL SHOCK SYSTEMS (147)

PERFORMANCE SHOCKS

1 FTS23122 Component Box w/2 Performance Shocks

STEALTH SHOCKS

1 FTS23123 Component Box w/2 Stealth Shocks

DIRT LOGIC SHOCKS

1 FTS23124 Component Box w/2 Dirt Logic Resi Shocks

DIRT LOGIC SHOCKS

1 FTS23125 Component Box w/4 Dirt Logic Resi Shocks

7" FRONT DUAL SHOCK SYSTEMS (147)

PERFORMANCE SHOCKS

1 FTS23126 Component Box w/2 Performance Shocks

STEALTH SHOCKS

1 FTS23127 Component Box w/2 Stealth Shocks

DIRT LOGIC SHOCKS

1 FTS23128 Component Box w/2 Dirt Logic Resi Shocks

DIRT LOGIC SHOCKS

1 FTS23129 Component Box w/4 Dirt Logic Resi Shocks

4.0 COILOVER CONVERSION

For maximum suspension damping Fabtech's Dirt Logic 4.0 Conversion is the ultimate set up. The system utilizes the factory upper coil bucket with support gussets for superior strength. The lower mounts weld to the axle housing and have cross support gussets for the factory Track Bar bracket. This high end system is compatible with Fabtech's 5" and 7" Suspension Systems.



2014-16 RAM 2500 4WD
2013-16 RAM 3500 4WD

5" FRONT DIRT LOGIC 4.0 COILOVER W/ RESI

K3074DL (50)

1 FTS23119 Component Box
2 FTS835102 Dirt Logic 4.0 Coilover w/Resi

7" FRONT DIRT LOGIC 4.0 COILOVER W/ RESI

K3081DL (50)

1 FTS23119 Component Box
2 FTS835122 Dirt Logic 4.0 Coilover w/Resi

FOOTNOTE - 50. Installation requires welding.
147. For use with two OE position shocks.

STEERING STABILIZERS

Our Steering Stabilizer systems provides damping for the stock steering system of the vehicle to reduce tire shake caused by large tires both on and offroad. Available in Single and Dual configurations with Performance Stabilizers or high end Dirt Logic Stabilizers for the ultimate steering damping.



2014-16 RAM 2500 4WD
2013-16 RAM 3500 4WD

DUAL STEERING STABILIZERS

- 1 FTS23060 Dual Performance Steering Stabilizers
- 1 FTS8047 Dual Stealth Steering Stabilizers
- 1 FTS23164 Dual Dirt Logic Steering Stabilizers

SINGLE STEERING STABILIZER

- 1 FTS7001 Single Performance Steering Stabilizer

REAR LINK ARMS

For aggressive offroad use, Fabtech offers replacement rear control links. Constructed of 2" OD heavy wall tubing and Fabtech heavy duty 5 Ton Joints™ these links directly replace the factory units.



2014-16 RAM 2500 4WD

5" / 7" REAR LINK ARMS

- 1 FTS23194 Component Box

REAR TRACTION BARS

Big torque motors can create rear leaf spring wrap that can only be tamed with our heavy duty Traction Bars. The tubular design with dimple die side plates are super stout and are built for towing, drags and offroad use. Traction Bars are mounted to the axle with thick weld on tabs and adjustable heims. A pivoting shackle system at the frame provides a smooth ride while resisting torque loads to the leaf springs for maximum control.



2013-16 RAM 3500 4WD

5" / 7" REAR TRACTION BARS (50)

- 1 FTS23193 Component Box

TOLL FREE
877-4-FABTECH
877-432-2832

4331 EUCALYPTUS AVE. CHINO, CA. 91710 | PHONE: 909-597-7800 | FAX: 909-597-7185
WWW.FABTECHMOTORSPORTS.COM | INFO@FABTECHMOTORSPORTS.COM